

JUL 26 2005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 97-338-A3)

In re Application of:

Anthony Ford et al.

Serial No.: 09/896,649

Filed: June 29, 2001

For: Fluid Dispenser

Examiner: Yelena Gakh

Group Art Unit: 1743

Fax No.: 571-273-8300

No. Of Pages: 7

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450FACSIMILE TRANSMITTAL LETTER

Sir:


In regard to the above identified application:

1. We are transmitting herewith the attached:
 - a. Response to Notice of Drawing Inconsistency with Specification with Appendix A
2. With respect to fees:
 - a. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2490.
3. CERTIFICATE OF MAILING UNDER 37 CFR § 1.8: The undersigned hereby certifies that this Transmittal Letter and the paper, as described in paragraph 1 hereinabove, are being transmitted to the USPTO facsimile number 571-273-8300, according to 37 CFR 1.6(d) addressed to: Mail Stop Issue Fee Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 26, 2005.

Respectfully submitted,

Date: July 26, 2005

By :


A. Blair Hughes
Reg. No. 32,901

**RECEIVED
CENTRAL FAX CENTER****JUL 26 2005****PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 97,338-A3)**

In the Application of:

Anthony Ford et al.

Serial No.: 09/896,649

Filed: June 29, 2001

Title: Fluid Dispenser

Art Unit: 1743

Examiner: Yelena Gakh

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop Issue Fee
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

On July 5, 2005, the U.S. Patent Office issued a Notice of Drawing Inconsistency with the above-identified application. A copy of the Notice is attached at Appendix A of this Reply.

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 3 of this paper.